I was one of the same			
Fried in NID File		Checked by Chief	pages
S R Sheet	4	Copy NID to Field Office	
Lo in Map Pinned		Approval Letter	
Card indixed		Disapproval Letter	
IWR for State or Fee Land	***************************************		
COMPLETION DAT	ГА:		
Date Well Completed	5-21-64	Location Inspected	**
OW		Bond released State of Fee Land	
D: 1 s Log 5	* · · · · · · · · · · · · · · · · · ·	SS FILED	
Elevino Logs (No.			
E lat	ـــــــــــــــــــــــــــــــــــــ	GR. GR.N M	icro
Sub upas	of ale	selment	

Form 9-331 C (May 1963)

UNITED STATES



Form approved. Budget Bureau No. 42-R1425.

		ED STATES	reverse s	is on	
	DEPARTMENT	•	RIOR	5. LEASE DESIGNATIO	
 		ICAL SURVEY		0 TO TANDLEY	
APPLICATION a. TYPE OF WORK	I FOR PERMIT TO	O DRILL, DEE	PEN, OR PLUG E	BACK Navaje	DE OR IRIBE NAME
	LL 🗷	DEEPEN	PLUG BA	CK 7. UNIT AGREEMENT	NAME
OIL GA			SINGLE MULTIP	8. FARM OR LEASE N	AME
NAME OF OPERATOR	ELL OTHER		ZONE ZONE	Navajo Traci	125
Humble Oil &	Refining Compan			9. WELL NO.	
. ADDRESS OF OPERATOR				5 v	
P. O. Box 30	82, Durango, Col	orado		10. FIELD AND POOL,	and the second s
LOCATION OF WELL (Re	port location clearly and i	n accordance with any	State requirements.*)	SE MOSIMO CX	
	1980' FEL (Cents	er SW NE)		11. SEC., T., R., M., OI AND SURVEY OR	R BLK. Area
At proposed prod. zone	.			8ec. 28-418-	-25E
4. DISTANCE IN MILES A	ND DIRECTION FROM NEARE	ST TOWN OR POST OFF	CE*	12. COUNTY OR PARIS	н 13. зтате
Approx. 2 ml	les SE of Aneth	Trading Post		San Juan	Utah
15. DISTANCE FROM PROPO LOCATION TO NEAREST PROPERTY OR LEASE LINE	white >>	M' NOTUL	NO. OF ACRES IN LEASE	17. NO. OF ACRES ASSIGNED TO THIS WELL	
LS. DISTANCE FROM PROPO	OSED LOCATION*	19.	PROPOSED DEPTH	20. ROTARY OR CABLE TOOLS	
TO NEAREST WELL, DE OR APPLIED FOR, ON THI	S LEASE, FT. 1900 SE	af #2	55001	Rotary	and the second s
21. ELEVATIONS (Show whe				22. APPROX. DATE V	VORK WILL START*
hh82' Ungrad	ed Ground			April 15.	1964
3.	PR	OPOSED CASING AL	ND CEMENTING PROGRA	AM	jest vilje Politika
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEM	ENT
12-1/10	8_5/8*	214	12001	Required Amount	V
7_7/An	h_1 /90	9.5#	Required Amoun	- 1/	
			ARQUART AREA		
Native mu DST Progra one in Dea Induction	de; 2200-5000' g mm: Possibly on sert Greek mone,	el and from 5 e in Lower Is depending on ase of surface	000' to TD low (may, depending (log analysis.	Mud Program: 0-22 solids gel-5-10% oil on shows and possibl Logging Program: 0 and one CR Sonie wit	 7 100
		, ,			
					**
					, y

IN ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED COPY (ORIGINAL) B. M. BRADLEY	TITLE District Supe	rintendent DATE April 6, 1964
(This space for Federal or Seate office use)		
APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	APPROVAL DATE	DATE

April 3, 1964

Humble 0il & Refining Company P. O. Box 3082 Durango, Colorado

Re: Notice of Intention to Drill Well
No. NAVAJO TRACT 125-5, 1980' FNL
& 1980' FEL, of Section 28, T. 41
S., R. 25 E., San Juan County, Utah.

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted.

As soon as you have determined that it will be necessary to plug and abandon this well, you are requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer Office: DA 8-5771 or DA 8-5772 Home: CR 7-2890 - Salt Lake City, Utah

This approval terminates within 90 days if said well has not been spudded within said period.

Enclosed please find Form OGCC-8-X, which is to be completed if water sands (aquifers) are encountered while drilling, particularly assessable near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF: cnp

ce:

P. T. McGrath, District Engineer

U. S. Geological Survey - Farmington, New Mexico

H. L. Coonts, Petroleum Engineer 011 & Gas Conservation Commission - Moab, Utah YON

Gopy al

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Form app Budget B	oroved. ureau No. 42-R	42-R714.4.		
			J		
ALLOTTE	Warra to				

LEASE NO.

TRACERIA	MANUFACTURE TO DEPONDE	AT ARER A	MICANO
LESSEE'S	MONTHLY REPORT	OF OPEKA	LHUNS

	State _				Ca	ounty	Juan		Field		Lmo Creek
,	Th wells) j				A	t report of c	operati	ons and p , 19,	roduction (i	ncluding o	lrilling and producin
	Agent'				70~	x 3082			ompany Hv	mble Oil	& Refining Compan
	g 0,000	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	000		Du	rango, Col	orado		i i i i i i i i i i i i i i i i i i i	্বাল কলকুণীয়ে, উল ভারত কৈ	
1	Phone				21,	7-0210			igned Igent's title	Dist. A	cet'g. Supr.
-	Sec. and 14 of 14	TWP.	RANGE	WELL No.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cv. Fr. of G. (In thousands	GALLONS OF	BARRELS OF WATER (If none, so state)	BEMARKS (If drilling, depth; if shut down, caus date and result of test for gasoline content of gas)
V	ajo T	ACT	125								
	SW SW	las	25%	1	29	14,592	142	39,273			Down 1 Day
	ne iw		25E		29	11,911		14,860			Down 1 Day
3	SW NW	418	25E		29	11,909 a10 Trac	7	14,857			Down 1 Day
1	SW NE	ias	25%	5	•	(-)	25-5	i • **			Spudded: 4-23-6 Drilling @ 2,56
T	AIS					38,412		68,990			

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Note.—There were ______ runs or sales of oil; ____

...... M. cu. ft. of gas sold;

Form 9-331 (May 1963)

UNITED STATES SUBMIT IN TRIPLICATE* DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)

Form s	pproved.		-	
 Budget	Bureau	No.	42-R14	24

5. LEASE DESIGNATION AND SERIAL NO.

1	4-20	-60	3-7	00	

	GEOLOGICAL SURVEY		14-20-003-7	JU .
SUNDRY	NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
(Do not use this form for	proposals to drill or to deepen or plu	c back to a different reservoir		
Use "AP	proposals to drill or to deepen or plu PLICATION FOR PERMIT—" for such	proposals.)	Navajo	
			7. UNIT AGREEMENT NA	ME
WELL GAS WELL OTF	ier Dry Hole			
NAME OF OPERATOR			8. FARM OR LEASE NAI	4E
Humble Oil & Refi	nine Company			
ADDRESS OF OPERATOR	trug company		Navajo Trac	p 152
P. O. Box 3082, D	urango, Colorado		5	
see also space 17 below.)	tion clearly and in accordance with a	ny State requirements.*	10. FIELD AND POOL, O	R WILDCAT
At surface			SE McElmo	
			11. SEC., T., R., M., OR I SURVEY OR AREA	BLK, AND
1980' FNL & 1980'	FEL (Center SW NE)		SORVET ON ALEE	
			28-118-258	
PERMIT NO.	15. ELEVATIONS (Show whether	DF, RT, GR, etc.)	12. COUNTY OR PARISH	13. STATE
	1491' DF	•	San Juan	274-1
	dult. Di		OWN GREET	Utah
Chec	k Appropriate Box To Indicate	Nature of Notice, Report, or C	other Data	
	INTENTION TO:			
		SUBSEQU	ENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING V	VELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING C	ASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONME	NT*
REPAIR WELL	CHANGE PLANS	(Other)		
(Other)		(NOTE: Report results	of multiple completion etion Report and Log for	on Well
Set 39-jts. 0-5/1	Bu casing @ 1191, cemen Bu casing @ 12021, cemen	ented w/875 sx. Tested	8-5/8" casing	at
• • • • • • • • • • • • • • • • • • •		cement at 350# for 15 blow, dead in 15 minut		l 45° drlg.
フ4フンーフィング・ディラント	tention to plug and abs-2200; 1250-1150; and rected, pits filled and	andon well as follows: i from 30' to surface. I location cleaned.	Cement plugs A regulation	
1			OK .	
3. Ay - X x	Willy Lufredness	de 1207		
broker 1000	actif			
	a my a comment			
	en de la companya de			
	•			
	• •			
	entropy of the second			
	entropy of the second s			
I hereby certify that the forego	olng is true and correct			
CANV / ORIGINAL Y	D W DOLDITY	Dist. Suret.	D. mm . E . 87	41.
		Dist. Supt.	DATE 5-27	-64
CANV / ORIGINAL Y	B. M. BRADLEY TITLE	Dist. Supt.	DATE 527	-64
SIGNED COPY (ORIGINAL SIGNED) (This space for Federal or State	B. M. DRADLEY TITLE	Dist. Supt.		-64
SIGNED COPY (ORIGINAL)	B. M. DRADLEY TITLE te office use)	Dist. Supt.	DATE	-64

COMPANY HUMBLE OIL & REFINING COMPANY

Well Name & No. NAVAJO TRACT 125, Well # 5


Lease No.

Location 1980' FROM THE NORTH LINE & 1980' FROM THE EAST LINE

Being in center SW NE

Sec. 28, T 41 S, R 25 E, S.L.M., San Juan County, Utah

Ground Elevation 4482' ungraded



Scale — 4 inches equals 1 mile

Surveyed 3 April

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Land Surveyor.

Robert H. Ernst

N. Mex. Reg No. 2463 PE & IS Colo. Reg. No. 4979 PE

FORM OGCC-8-X , espe

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION 310 NEWHOUSE BUILDING SALT LAKE CITY 11, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

5-28-64

perator Humble (Dil & Refining C	ompany Address Box 300 Durang	82, Phone 247-0210
		Address	
ocation: SW ½ NE	½ Sec. 28 T. 41	R. 25 E San Juan	County, Utah,
ater Sands:			
Depth		<u>Volume</u>	Quality
From	<u>To</u>	Flow Rate or Head	Fresh or Salty
2201		Est. 1" Flow	Fresh
3301		Est. 6" Flow	Fresh
600		Est. 8" Flow	Sli. Brackish
•			
•			the strain of the second secon
	(CO	ntinued on reverse side if neces	in the sale
ormation Tops:	Chinle DeChelly Organ Rock Hermosa Paradox	4196	
			JUN 1°

Remarks:

Set 4-jts. 13-3/8" casing @ 119', cemented w/125 sacks

Set 39-jts. 8-5/8" casing @ 1202', cemented w/875 sacks. Tested 8-5/8" casing at 1000# for 15 minutes, held OK. Tested cement at 350# for 15 minutes, OK.

NOTE: (a) Upon diminishing supply of forms, please inform the Commission

(b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure. (See back of form)

UNITED STATES

SUBMIT IN DUPL

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(See other instructions on reverse side)

		·			
5.	LEASE	DESIGNATION	AND	SERIAL	NO.
	14-4	10-603-7	Œ		

WELL CO	MPLETION (OR RECOM	PLETION	REPORT	AND LOG	* 6. IF INDIAN, AL	LOTTEE OR TRIBE NAME
b. TYPE OF COM	WELL	GAS WELL	DRY X	Other		7. UNIT AGREEME	NT NAME
NEW WELL	WORK DEEP-	PLUG BACK	DIFF. RESVR.	Other	<u> </u>	8. FARM OR LEAS	and the second s
2. NAME OF OPERATIONS OF THE PROPERTY OF THE P	tor & Refining	Company				9. WELL NO.	ract 125
3. ADDRESS OF OPE	RATOR						
Box 3082,	Durango, C		<u> </u>		f*	10. FIELD AND PO	
	LL (Report location 1980 PNL &		cordance with an	y State requi	rements)*		., OR BLOCK AND SURVEY
At top prod. in	terval reported below	W . (1)				OR AREA	
At total depth						28 -138-2	
			14. PERMIT NO.	. [DATE ISSUED	12. COUNTY OR PARISH	13. STATE
15. DATE SPUDDED	16. DATE T.D. REA	CHED 17, DATE	COMPL. (Ready t				. ELEV. CASINGHEAD
4-23-64	5-20-64		64 HA	<u> </u>	M91. DL		
20. TOTAL DEPTH, MD	& TVD 21. PLUG,	BACK T.D., MD & T	D 22. IF MUI HOW M	TIPLE COMPL.	, 23. INTERV		CABLE TOOLS
-	RVAL(S), OF THIS CO	MPLETION—TOP,	BOTTOM, NAME (MD AND TVD)*		<u> </u>	25. WAS DIRECTIONAL SURVEY MADE
Dry Hole			•				Yes
26. TYPE ELECTRIC	AND OTHER LOGS RU	N				27.	WAS WELL CORED
	Electric & (4		No
28. CASING SIZE	WEIGHT, LB./FT		G RECORD (Reg	oort all string:		VTING RECORD	AMOUNT PULLED
13 3/8"	187	1391		2/4"	,	125 Sacks	-
8 5/8"	214	12021	12	1/4		875 Sacids	
29.	Tal	NER REGORD		<u> </u>	30.	TUBING RECORD	
SIZE			ACKS CEMENT*	SCREEN (M		DEPTH SET (MD)	PACKER SET (MD)
21 PERFORATION DE	CORD (Interval, size	and number					
oi. The oration Re	cond (Invervus, asse	and number;		82.	ACID, SHOT, F	RACTURE, CEMENT SQ AMOUNT AND KIND OF	
				DEITH IN	IBRIAD (MD)	ANOTHI AND MIND OF	
							A transition of the state of th
							d
33.*		- ·	222	- Liamion			-
DATE FIRST PRODUCT	FION PRODUCT	TION METHOD (Flo		DUCTION umping—size	and type of pump) WELL STAT	cus (Producing or
					11.	Dry 1	iole
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS-MCF.	WATER—BBL.	GAS-OIL RATIO
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS-	MCF. W	ATER—BBL. QIL	GRAVITY-API (CORR.)
34. DISPOSITION OF	GAS (Sold, used for fi	iel, vented, etc.)				TEST WITNESSED	ВУ
35. LIST OF ATTACH	MENTS			-			
		Mariana Mirin		.			
36. I hereby certify		and attached inf	ormation is comp	olete and corr	ect as determined	from all available record	is
SIGNED COP	ORIGINAL H.	L. FARRIS	TITLE	Wald So	perintender	т.	ry. 26, 1964

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

14cm 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hem 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 38. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

1961 8 8 1964 TRUE VERT. DEPTH TOP MEAS. DEPTH GEOLOGIC MARKERS NAME 3187# ISTO 789#; IF & FF TESTS, INCLUDING left open Tool opened wheek TOP NOTE: hrs 15 stres; 83 P 227#/ Shire IPT 28#1 Completed as a Dry Hole died in 15 minutes, Stayed open I hour and 30 minutes, by-pass tool, XXX TOTAL died immediately, 37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM T DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES tool plugging. weak blows, died immediately, I 2 hours, closed in 2 hours, by-page tool NICE A. MINUTE KONS: INP A her; the 20th for 01.4/4. DESCRIPTION, CONTENTS, ETC. TIME TYROL 15.19 225#/2 haras mile 2009#s Well was not cored. 287-233 N Minutes, STATE MADE: HE to and cation of MOAT BE had weak blow, 184 S/21-44 1959 150 H BOTTOM 28824 28824 FORMATION Organ Rock DeChelly Chinle

U.S. GOVERNMENT PRINTING OFFICE: 1963--O-683636

May 28, 1964 Humble 011 & Refining Company Box 3082 Durango, Colorado Attention: Mr. H. L. Farris, Field Superintendent Re: Well No. Navajo Tract #125-5 Sec. 28, T. 41 S. R. 25 E., San Juan County, Utah Gentlemen: We are in receipt of your well log for the above mentioned However, upon checking this information, we notice that you did not report the water sands encountered while drilling. Please complete the enclosed Forms OGCC-8-X, and return to this office as soon as possible.


Very truly yours,

CLARELLA N. PECK RECORDS CLERK

cnp to

Enclosure

OIL & GAS CONSERVATION COMMISSION



UNITED STATES

Form approved. Budget Bureau No. 42-R714

DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

LESSEE'S MONTHLY REPORT OF OPERATIONS

wells) f Agent's	or th	e mon	th of	Hay Box Dure	3082 mgo, Colox		_, 19 64 , Cor	npany H	mble 01]	drilling and producin & R efining Course As. b. commission
Phone .				2117-	-0210		Ag	ent's title	Dist. Ac	etig. Supr.
Sec. and 14 of 14	Twp.	RANGE	WELL No.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Ft. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	BEMARKS (If drilling, depth; if shut down, cause date and result of test for gasoline content of gas)
VAJO TRA	T 12	5								
SW SW	413	25B	1	31	13070	142	38692	•		
ne w	has	25E	2	N	11510		17706	•		
SW IM	us	25B	h	37	13098		20152	•	•	
SW NB	LIS	255 Paul	50	- KN	7			•		ID 54331 Dry and Abandoned: 5-22-6
MS		Tave #/2	25-	5	37 678		76552			

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-331 (May 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)

Form approved.

Budget Bureau No. 42-R1424.

DESIGNATION AND SERIAL NO.

O.	IIIL IIII LIVIOI verse side)	O. LEASE DESIGNAL
SICA	L SURVEY	14-20-603-70

Carry Rle

GEOLOG	6. IF INDIAN, ALLOTTEE OR TRIBE NAME						
SUNDRY NOTICES A (Do not use this form for proposals to drill Use "APPLICATION FOR							
OIL GAS OTHER TY HOLD		10 ~ .	7. UNIT AGREEME	NT NAME			
2. NAME OF OPERATOR Russble Oil & Refining Company			L	8. FARM OR LEASE NAME			
3. ADDRESS OF OPERATOR			9. WELL NO.				
P. O. Box 3082, Durango, Color			5	5			
4. LOCATION OF WELL (Report location clearly and See also space 17 below.) At surface	10. FIELD AND PO	10. FIELD AND POOL, OR WILDCAT					
			11. SEC., T., R., M SURVEY OR	., OR BLK. AND AREA			
1980' FML & 1980' FEL (Center	SW ME)		28-415-25E				
	ATIONS (Show whether DF,	RT, GR, etc.)	12. COUNTY OR P	ARISH 13. STATE			
				Poss			
Check Appropriate	: Box to Indicate N	ature of Notice, Report, o	or Other Data				
NOTICE OF INTENTION TO:		SUB	SEQUENT REPORT OF:				
TEST WATER SHUT-OFF PULL OR ALS	PER CASING	WATER SHUT-OFF	REPAIR	RING WELL			
FRACTURE TREAT MULTIPLE C	OMPLETE	FRACTURE TREATMENT	ALTER	ING CASING			
SHOOT OR ACIDIZE ABANDON*		SHOOTING OR ACIDIZING	ABAND	ONMENT*			
REPAIR WELL CHANGE PLA	NS	(Other)	ults of multiple comple	etion on Well			
(Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (C.		Completion or Reco	ompletion Report and L	og form.)			
TD 5433', dry and abandoned 5 Coment plugs from 5433' to 52 (35 sx); and from 30' to surfregulation dry hole marker en inspection.	200° (32 mx); face (15 mx).	Total of 113 sack	s coment used.				
18. I hereby certify that the foregoing is true and o	correct						
SIGNED	TITLE Dis	t. Supt.	DATE	me 3, 1964			
(This space for Federal or State office use)							
APPROVED BY	TITLE		DATE				